



LED FLOOD LIGHT

Item code: OFL.223

LED FLOOD LIGHT




With IP65 and wide range of watt from Min 100W to Max 400W, this SMD LED flood light can be widely used in outdoor&indoor industrial lighting applications.

International famous brand driver MeanWell, with warranty upto 7 years.

Excellent performance in heat dissipation and longer lifetime.

High light efficiency upto 100-110lm/w.

Widely used in warehouse, factory,parking lot,outdoor playground, outdoor stadium,etc.





50°



IP 65



PF ≥0.9



CRI ≥80



50000h


Model NO.	Power(W)	Lm/W(±5%)	Voltage	Product size (mm)
OFL.223.100	100W	120~130Lm/W	90-305V	Φ358 × 250
OFL.223.150	150W	120~130Lm/W	90-305V	Φ438 × 285
OFL.223.200	200W	120~130Lm/W	90-305V	Φ438 × 320
OFL.223.300	300W	120~130Lm/W	90-305V	Φ406 × 432
OFL.223.400	400W	120~130Lm/W	90-305V	Φ425 × 402

Item code: OFL.221

LED FLOOD LIGHT



With IP66 and wide range of watt from Min 50W to Max 500W, this SMD LED flood light can be widely used in outdoor&indoor industrial lighting applications. Excellent performance in heat dissipation and longer lifetime, upto 30,000 hours. High light efficiency upto 90-100lm/w. Widely used in warehouse, factory, parking lot, outdoor playground, outdoor stadium, etc.



Model NO.	Power(W)	Lm/W(±5%)	Voltage	Product size (mm)
OFL.221.50	50W	100~110Lm/W	90-305V	220 × 226 × 43
OFL.221.100	100W	100~110Lm/W	90-305V	280 × 230 × 140
OFL.221.150	150W	100~110Lm/W	90-305V	290 × 290 × 90
OFL.221.200	200W	100~110Lm/W	90-305V	310 × 330 × 90
OFL.221.300	300W	100~110Lm/W	90-305V	375 × 375 × 125
OFL.221.400	400W	100~110Lm/W	90-305V	525 × 325 × 170
OFL.221.500	500W	100~110Lm/W	90-305V	525 × 325 × 170